



Groove Blade



Trimless Recessed Mount Track


GB-RTL | Groove Blade System | Black Finish

GROOVE BLADE SERIES

The Groove Blade 48V Track System offers a perfect blend of minimalism and versatility, designed to meet the demands of modern lighting. Its ultra-slim 7mm wide track integrates seamlessly into various interiors, offering mounting options such as recessed, ceiling, wall, and suspended configurations, including direct and indirect illumination. Compatible with surfaces like wood and drywall, the system supports diverse architectural applications.

With modular connectors—including flat, “L” corners, and flexible curved corners—it enables custom geometric designs and smooth transitions across planes. Fully replaceable and interchangeable fixtures provide the flexibility to update or adapt lighting designs over time. Ideal for accent, task, and general illumination, the Groove Blade enhances spaces such as galleries, museums, offices, hospitality venues, retail, and residential interiors. Combining precision, innovation, and effortless installation, it sets a new standard for modern lighting solutions.

Grooove Blade



Trimless Recessed Mount Track

GB-RTL | Groove Blade System | Black Finish



Ceiling Mount Track

GB-CM | Groove Blade System | Black Finish



Trimless Recessed Mount Track

GB-RTL | Groove Blade System | Black Finish

Suspended Mount Track

GB-SM | Groove Blade System | Black Finish




Suspended Mount Direct & Indirect Track

GB-SM-DI | Groove Blade System | Black Finish






Trimless Recessed Mount Track

GB-RTL | Groove Blade System | Black Finish



Trimless Recessed Tracks


GB-RTL | Black & White Finishes



GB-RTL-2
 2 ft

GB-RTL-4
 4 ft


GB-RTL-8
 8 ft




Recessed L-Shaped Outside Corner Joining Bracket
[GB-RTL-ACC-4](#)



Recessed Round Corner
[GB-RTL-R-1-90D \(R=1FT\)](#)



Recessed L-Shaped Flat Corner Joining Bracket
[GB-RTL-ACC-2](#)




Recessed L-Shaped Inside Corner Joining Bracket
[GB-RTL-ACC-3](#)



Recessed Round Corner
[GB-RTL-R-2-90D \(R=2FT\)](#)





Recessed Round Corner
[GB-RTL-R-3-90D \(R=3FT\)](#)



Ceiling Mount / Suspended Mount Tracks

GB-CM-SM | Black & White Finishes




CEILING & SUSPENDED MOUNTRACK CORNERS

GB-CM-SM-2  2ft

GB-CM-SM-4  4ft


GB-CM-SM-8  8ft




Ceiling & Suspended Mount L-Shaped Inside Corner
Joining Bracket
[GB-CM-SM-ACC-4](#)



Ceiling & Suspended Mount Round Corner
[GB-CM-SM-R-1-90D \(R=1FT\)](#)




Ceiling & Suspended Mount L-Shaped Flat Corner
Joining Bracket
[GB-CM-SM-ACC-2](#)




Ceiling & Suspended Mount L-Shaped Inside
Corner Joining Bracket
[GB-CM-SM-ACC-3](#)



Ceiling & Suspended Mount Round Corner
[GB-CM-SM-R-2-90D \(R=2FT\)](#)




Ceiling & Suspended Mount Round Corner
[GB-CM-SM-R-3-90D \(R=3FT\)](#)



Suspended Mount Direct & Indirect Tracks

GB-SM-DI | Black & White Finishes





GB-T2-1
Cylinder
1 3/8" x 7/8", 2W, 250 lm



GB-T2-2
Cylinder
2 1/8" x 1 1/8", 2W, 250 lm



GB-T2-3
Cylinder
2 1/2" x 1 1/4", 6W, 900 lm



GB-T2-4
Cylinder
3 1/2" x 2", 13W, 1300 lm



GB-T11-1
Globe
4", 4.5W, 330 lm



GB-T12-1
Flat Round Downlight
3", 4.5W, 330 lm



GB-T12-2
Flat Round Downlight
4", 9W, 1200 lm



GB-T12-3
Flat Round Downlight
5 1/2", 18W, 2200 lm



GB-T2-5
Cylinder
4 1/4" x 2 1/4", 18W, 2650 lm



GB-T3-1
Dual Cylinder
1 7/8" x 7/8", 2.1W x2, 500 lm



GB-T3-2
Dual Cylinder
2 3/8" x 1 1/8", 4.5W x2, 1400 lm



GB-T3-3
Dual Cylinder
2 1/2" x 1 1/4", 7W x2, 1800 lm



GB-TS-1
Flat Round Diffuse
6 1/8", 13W, 1400 lm



GB-T13-1
Round Downlight
3", 4.5W, 330 lm



GB-T13-2
Round Downlight
4", 9W, 1200 lm



GB-T13-3
Round Downlight
5 1/2", 18W, 2200 lm



GB-T3-4
Dual Cylinder
3 1/2" x 2", 13W x2, 3100 lm



GB-T5-1
Flat Round
1" x 3", 6W, 650 lm




GB-T8-1
Track Globe
1 3/8", 2.1W, 260 lm




GB-T8-2
Track Globe
2 1/4", 6.3W, 900 lm



GB-T14-1
Track Hose Light
2 1/4" x 7/8", 2W, 255 lm



GB-L1R-12
Linear Diffused (12")
12", 4W, 500 lm



GB-L1R-24
Linear Diffused (24")
24", 8W, 1000 lm



GB-L1R-48
Linear Diffused (48")
48", 16W, 2000 lm

TRACK HEADS OPTIONS



GB-L2R-WW-12
Linear Round Wall Wash
12", 4W, 500 lm




GB-L2R-WW-24
Linear Round Wall Wash
24", 8W, 1000 lm



GB-L2R-WW-48
Linear Round Wall Wash
48", 16W, 2000 lm




GB-L4R-12
Linear Downlight (12")
12", 5W, 310 lm




GB-L4R-24
Linear Downlight (24")
24", 9W, 670 lm



GB-L1R-SI-16
Linear Silicon | 16 ft
16 ft, 3.7W /ft, 640 lm /ft



GB-P1-1
Pendant
11¾" x 1¾", 7W, 900 lm



GB-P5-1
Pendant Globe
4", 4.5W, 330 lm



GB-P7-1
Pendant Round Diffuse
6¾", 13W x2, 1400 lm



GB-P2-1
Pendant Chandelier
17¾", 11W, 1300 lm



GROOVE BLADE SYSTEM

Cylinder

GB-T2-1



Tilt 110°



Rotate 355°

GROOVE BLADE SYSTEM


Cylinder

GB-T2-1

GROOVE BLADE SYSTEM

Cylinder

GB-T2-1



GROOVE BLADE SYSTEM

Cylinder

GB-T2-2



Tilt 110° Rotate 355°



GROOVE BLADE SYSTEM

Cylinder

GB-T2-2



GROOVE BLADE SYSTEM

Cylinder

GB-T2-3




Tilt 110° Rotate 355°



GROOVE BLADE SYSTEM

Cylinder

GB-T2-3



GROOVE BLADE SYSTEM

Cylinder

GB-T2-4



Tilt 110° Rotate 355°

GROOVE BLADE SYSTEM

Cylinder

GB-T2-4





GROOVE BLADE SYSTEM

Cylinder

GB-T2-5



Tilt 110°



Rotate 355°



GROOVE BLADE SYSTEM

Cylinder

GB-T2-5

Linear Diffused | 12", 24", 48"

GB-L1R-12 | GB-L1R-24 | GB-L1R-48

Linear Round Wall Wash | 12", 24", 48"


GB-L2R-WW-12 | GB-L2R-WW-24 | GB-L2R-WW-48

Linear Downlight | 12", 24"

GB-L4R-12 | GB-L4R-24

Linear Silicone | 16 ft | Cuttable

GB-L1R-SI-16



Linear Silicone

Linear Downlight

Linear Round Wall Wash

Linear Diffused

Linear Diffused

Linear Round Wall Wash

Linear Downlight

Linear Silicone



GROOVE BLADE SYSTEM

Linear Diffused


GB-L1R-12 | GB-L1R-24 | GB-L1R-48



GROOVE BLADE SYSTEM

Linear Round Wall Wash

GB-L2R-WW-12 | GB-L2R-WW-24 | GB-L2R-WW-48



GROOVE BLADE SYSTEM

Wall Wash Lighting Effect


GB-L2R-WW-12 | GB-L2R-WW-24 | GB-L2R-WW-48



GROOVE BLADE SYSTEM

Linear Downlight

GB-L4R-12 | GB-L4R-24



GROOVE BLADE SYSTEM

Linear Silicone | Cuttable

GB-L1R-SI-16



GROOVE BLADE SYSTEM

Linear Downlight

GB-L4R-12 | GB-L4R-24

GROOVE BLADE SYSTEM

Linear Diffused

GB-L1R-12 | GB-L1R-24 | GB-L1R-48

Linear Downlight

GB-L4R-12 | GB-L4R-24





GROOVE BLADE SYSTEM

Linear Silicone

GB-L1R-SI-16



GROOVE BLADE SYSTEM

Dual Cylinder

GB-T3-1

GROOVE BLADE SYSTEM

Dual Cylinder

GB-T3-1



GROOVE BLADE SYSTEM

Dual Cylinder

GB-T3-1



Tilt 110° Rotate 355°



GROOVE BLADE SYSTEM

Dual Cylinder

GB-T3-3



Tilt 110° Rotate 355°



GROOVE BLADE SYSTEM

Dual Cylinder


GB-T3-2



GROOVE BLADE SYSTEM

Dual Cylinder

GB-T3-2



Tilt 110° Rotate 355°



GROOVE BLADE SYSTEM

Dual Cylinder

GB-T3-3



GROOVE BLADE SYSTEM

Dual Cylinder

GB-T3-4



GROOVE BLADE SYSTEM

Flat Round

GB-T5-1



Tilt 110° Rotate 355°



GROOVE BLADE SYSTEM

Flat Round


GB-T5-1



GROOVE BLADE SYSTEM

Flat Round

GB-T5-1



GROOVE BLADE SYSTEM

Track Globe

GB-T8-1



Tilt 110° Rotate 355°



GROOVE BLADE SYSTEM

Track Globe

GB-T8-1



GROOVE BLADE SYSTEM

Track Globe

GB-T8-2




Tilt 110° Rotate 355°



GROOVE BLADE SYSTEM

Globe

GB-T11-1



Tilt 110° Rotate 355°



GROOVE BLADE SYSTEM

Track Globe

GB-T8-2

GROOVE BLADE SYSTEM

Globe

GB-T11-1





GROOVE BLADE SYSTEM

Flat Round Downlight

GB-T12-1



Rotate 355°

GROOVE BLADE SYSTEM

Flat Round Downlight

GB-T12-3



Rotate 355°



GROOVE BLADE SYSTEM

Flat Round Downlight

GB-T12-1



GROOVE BLADE SYSTEM

Flat Round Diffuse

GB-TS-1




Rotate 355°



GROOVE BLADE SYSTEM

Flat Round Diffuse

GB-TS-1



GROOVE BLADE SYSTEM

Round Downlight

GB-T13-1



Tilt 110° Rotate 355°



GROOVE BLADE SYSTEM

Round Downlight

GB-T13-2



Tilt 110° Rotate 355°



GROOVE BLADE SYSTEM

Round Downlight

GB-T13-3



GROOVE BLADE SYSTEM

Track Surface Round - Downlight

GB-TS-2



GROOVE BLADE SYSTEM

Track Surface Round - Uplight

GB-TS-3



GROOVE BLADE SYSTEM

Track Surface Round - Downlight

GB-TS-2



GROOVE BLADE SYSTEM

Track Surface Round - Uplight

GB-TS-3



GROOVE BLADE SYSTEM

Hose Light

GB-T14-1





GROOVE BLADE SYSTEM

Hose Light

GB-T14-1

GROOVE BLADE SYSTEM

Pendant


GB-P1-1



GROOVE BLADE SYSTEM

Pendant Globe

GB-P5-1





GROOVE BLADE SYSTEM

Pendant

GB-P1-1



GROOVE BLADE SYSTEM

Pendant Globe

GB-P5-1



GROOVE BLADE SYSTEM

Pendant Chandelier

GB-P2-1



GROOVE BLADE SYSTEM

Pendant Chandelier

GB-P2-1





GROOVE BLADE SYSTEM

Pendant Round Diffuse

GB-P7-1



GROOVE BLADE SYSTEM

Pendant Round Diffuse

GB-P7-1

