
B26 6" Shallow Non-IC Housing

LAMP WATTAGE: (1) MAX. 150W R40/PAR38, 120W BR40, 85W BR30, 150W A21



DESIGNED FOR 2" X 6" JOIST CONSTRUCTION





ITEM SELECTOR: (Please check the boxes below for the option desired)

🔁 < L I G Н Т I N G

6' A. HOUSING - High temperature painted 22 gauge cold 9 rolled steel construction for maximum heat dissipation and rust protection. Adjusts vertically in plaster frame to accommodate 1/2" to 1-3/8" ceiling. Accommodate lamps up to 150W depending on trim used. BEAM DIA. MEASURED AT 50% OF NADIR F.C. FEATURES

Thermally Protected Shalllow Non-IC housing.

Adjustable socket bracket.

6"

3'

- · Preinstalled adjustable bar hanger.
- Dependable, favorable design and effortless installation
- 5-1/2" height allows use in 2" x 6" joist construction.
- · Special screw on the frame locks bar hangers in place which prevents the housing from any movement once installed.
- · Preinstalled socket cap provides electrical contact protection against dust, paint and over spray.

OPTIONS AIR-SHUT

- · Gasket to prevent air flow from heated or air conditioned spaces.
- · Meets all national air flow requirements.

B. SOCKET - Medium base screw shell porcelain socket preinstalled on adjustable mounting bracket is designed to allow usage of different lamp types, as well as proper and consistent lamp positioning. Wire through junction box.

C. BAR HANGERS - Preinstalled bar hangers allow housing to be positioned and locked at any point within a 24" joist span. They can be positioned on either the long or short axis of the housing and can be shortened for 12" joists. They contain a double-headed real nail for 20° downward angle for better contact, and the 90° pivoting mounting plate makes installation fast and accurate. Bar hangers can fit onto T-Bar spline with additional slots and holes for special mounting methods if necessary.

Thermally protected, specification grade recessed housing. For new construction non-insulated ceilings or

where insulation can be kept 3" from housing. Accommodates up to 150W R40/PAR38, 120W BR40, 85W

BR30 and 150W A21 lamps. Furnished with preinstalled

adjustable bar hangers. Junction box is provided with four 1/2" KOs, one 3/4" KO and four Romex knockouts with

Catalog Number:

Project Name:

DESCRIPTION


strain relief.

SPECIFICATION

Note:

D. JUNCTION BOX - UL listed for through-branch circuit wiring and has four 1/2" KOs, one 3/4" KO and four Romex knockouts with true pry-out slots and strain clamps.

E. THERMAL PROTECTION - Standard thermal protection device guards against improper installation, overlamping and misuse of insulation material.



Submittal form is available @ www.iuseelite.com Tel: 323-888-1973 • Fax: 323-888-1977

Specifications and Dimensions subject to change without notice

REV: ELITE LIGHTING-SPEC-06-29-2011

Type:

B26 • B627CL 90W PAR38 FL LAMP

399

97

43

19"

39"

58"

eam ad ø(ft)

6" Shall Incande

6" Shallow		Catalog Number:				
Incandescent	Trims	Project Name:		Туре:		
(LAMP WATTAGE: (1) MAX. 150W R40/PAR38, 120W BR40, 85W BR30, 150W A21)				Č LIGHTING		
B630CP-CP METAL STEPPED BAFFLE R30/PAR30	B640SN-SN Metal Stepped Baffle R40/Pai	B620-ORAN GLASS TRIM		B631P-WH R30 Premium Phenolic Baffle / Metal Ring		
BAFFLE FINISH: W, P, SN, CP, BZ TRIM/RING FINISH: WH, BK, SN, CP, CH, PB, BZ	BAFFLE FINISH: W, P, SN, CP, BZ TRIM/RING FINISH: WH, BK, SN, CP, CH, PB, BZ	GLASS FINISI GREEN, YELLO PINK, BROWN, BLUE, ORANGI WHITE, RED	W, NAVY	BAFFLE FINISH: W, P TRIM/RING FINISH: WH, BK, SN, CP, CH, PB, BZ	7-1/4"	
B632W-WH R40 Premium Phenolic Baffle / Metal Ring	B607CP-WH REFLECTOR R/PAR30		B627RG-WH REFLECTOR R40/PAR38		B602SN EYEBALL	
BAFFLE FINISH: W, P TRIM/RING FINISH: WH, BK, SN, CP, CH, PB, BZ	REFLECTOR FINISH: CL, RG, W, MB, CP, SN, BZ, SHZ TRIM/RING FINISH: WH, BK, SN, CP, CH, PB, BZ	TRIM/RING FI WH, BK, SN, C PB, BZ	3, CP, SN,	TRIM/RING FINISH: WH, BK, SN, CP, CH, PB, BZ	8"	
B609W-WH REGRESSED EYEBALL WITH BAFFLE	B619RG-PB REGRESSED EYEBALL WITH REFL	ECTOR B646P-WH EYEBALL W	B646P-WH EYEBALL WITH BAFFLE		B616W-WH PAR20 REGRESSED EYEBALL W/ BAFFLE	
BAFFLE FINISH: W, P, SN, CP, BZ TRIM/RING FINISH: WH, BK, SN, CP, CH, PB, BZ EYEBALL FINISH: WH, BK, SN, CP, CH, PB, BZ	REFLECTOR FINISH: CL, RG, W, MB, CP, SN TRIM/RING FINISH: WH, BK, SN, CP, CH, PB, BZ EYEBALL FINISH: WH, BK, SN, CP, CH, PB, BZ	BAFFLE FINIS W, P TRIM/RING FI WH		BAFFLE FINISH: W, P, SN, CP, BZ TRIM/RING FINISH: WH, BK, SN, CP, CH, PB, BZ EYEBALL FINISH: WH, BK, SN, CP, CH, P	7-1/4" T-1/4" 359 ROTATION B, BZ	
B663PB Par30 gimbal ring	B664CP Par38 Gimbal Ring	B673P-WH PAR30 BAFF	FLE W/ GIMBAL RING	B683CL-WH PAR30 REFLECTOR	W/ GIMBAL RING	
	(O))					
TRIM/RING FINISH: WH, BK, SN, CP, CH, PB, BZ	TRIM/RING FINISH: WH, BK, SN, CP, CH, PB, BZ	BAFFLE FINIS W, P, SN, CP, TRIM/RING FI	BZ INISH: P. CH.	REFLECTOR FINISH: CL, RG, W, MB, CP, SN TRIM/RING FINISH: WH, BK, SN, CP, CH,	T	
ASP TILT - ROTATION	$\left \begin{array}{c} \leftarrow & 35^{\circ} \\ & \Pi LT \end{array} \right \leftarrow$	PB, BZ	$f \leftarrow 30^{\circ}$ $Ti_{LT} \rightarrow \downarrow \leftarrow Rotatio_N$	PB, BZ	$\begin{array}{c} 30^{\circ} \\ TiLT \rightarrow \end{array}$ ROTATION	

6" Shallow Incande

elite

6" Shallow	Cata	log Number:	
Incandescent Trims		ect Name:	Туре:
(LAMP WATTAGE: (1) MAX. 150W R40/PAR38	8, 120W BR40, 85W BR30, 150W A21)	:	
B601CP METAL ALBALITE LENS	B601L Plastic Albalite Lens	B605PB METAL FRESNEL LENS	B605L Plastic Fresnel Lens
	FOR		FOR COLORATION
LENS: ALBALITE TRIM/RING FINISH: WH, BK, SN, CP, CH, PB, BZ	LENS: ALBALITE TRIM/RING FINISH: WHITE PLASTIC 8"	LENS: FRESNEL TRIM/RING FINISH: WH, BK, SN, CP, CH, PB, BZ	LENS: FRESNEL TRIM/RING FINISH: WHITE PLASTIC 8"
B606CP METAL DROP OPAL LENS	B606L Plastic drop opal lens	B635P-WH BAFFLE W/ ALBALITE LENS	B636W-WH BAFFLE W/ FRESNEL LENS
			FOR COLOCATION
LENS: DROP OPAL TRIM/RING FINISH: WH, BK, SN, CP, CH, PB, BZ	LENS: DROP OPAL TRIM/RING FINISH: WHITE PLASTIC 8"	BAFFLE FINISH: W, P, SN, CP, BZ TRIM/RING FINISH: WH, BK, SN, CP, CH, PB, BZ	BAFFLE FINISH: W, P, SN, CP, BZ TRIM/RING FINISH: WH, BK, SN, CP, CH, PB, BZ -7-1/4"
B641RG-WH REFLECTOR W/ ALBALITE LENS	B642CL-WH REFLECTOR W/ FRESNEL LENS	B656W-WH BAFFLE W/ FROSTED DOME SHOWER LENS	B657CL-WH REFLECTOR W/ FROSTED DOME SHOWER LENS
REFLECTOR FINISH: CL, RG, W, MB, CP, SN, SHZ TRIM/RING FINISH: WH, BK, SN, CP, CH, PB, BZ	REFLECTOR FINISH: CL, RG, W, MB, CP, SN, SHZ TRIM/RING FINISH: WH, BK, SN, CP, CH, PB, BZ	BAFFLE FINISH: W, P, SN, CP, BZ TRIM/RING FINISH: WH, BK, SN, CP, CH, PB, BZ	REFLECTOR FINISH: CL, RG, W, MB, CP, SN, SHZ TRIM/RING FINISH: WH, BK, SN, CP, CH, PB, BZ
B637W-WH	B643RG-WH	B658CL-WH	B659CL-WH
BAFFLE W/ DROP OPAL LENS	REFLECTOR W/ DROP OPAL LENS	REFLECTOR W/ PRISMATIC LENS	REFLECTOR W/ FROSTED LENS
			FOR ELECTION
BAFFLE FINISH: W, P, SN, CP, BZ TRIM/RING FINISH: WH, BK, SN, CP, CH, PB, BZ	REFLECTOR FINISH: CL, RG, W, MB, CP, SN, SHZ TRIM/RING FINISH: WH, BK, SN, CP, CH, PB, BZ	REFLECTOR FINISH: CL, RG, W, MB, CP, SN, SHZ TRIM/RING FINISH: WH, BK, SN, CP, CH, PB, BZ	REFLECTOR FINISH: CL, RG, W, MB, CP, SN, SHZ TRIM/RING FINISH: WH, BK, SN, CP, CH, PB, BZ

Submittal form is available @ www.iuseelite.com Tel: 323-888-1973 • Fax: 323-888-1977

6" S Inca

6" Shallow		Catalog	Number:	
Incandescent	Trims	Project I	Name:	Туре:
(LAMP WATTAGE: (1) MAX. 150W R40/PAR38	3, 120W BR40, 85W BR30, 150W A21)	Note:		
B675W-WH BAFFLE W/ PRISMATIC LENS	B676W-WH BAFFLE W/ FROSTED LENS		B612WH Smooth Frost Dome Shower Lens	B645WH Designer Point Shower Lens
FOR COLORATION			FOR	
BAFFLE FINISH: W, P, SN, CP, BZ TRIM/RING FINISH: WH, BK, SN, CP, CH, PB, BZ	BAFFLE FINISH: W, P, SN, CP, BZ TRIM/RING FINISH: WH, BK, SN, CP, CH, PB, BZ	4*	LENS: FROSTED TRIM/RING FINISH: WH, BK, SN, CP, CH, PB, BZ	LENS: FROSTED/CLEAR TRIM/RING FINISH: WH, BK, SN, CP, CH, PB, BZ
B648WH DESIGNER CONE SHOWER LENS	B652WH Smooth Frost Shower Lens		B603CP R/PAR30 OPEN TRIM	B604PB R40/PAR38 OPEN TRIM
		FOR		
LENS: FROSTED TRIM/RING FINISH: WH, BK, SN, CP, CH, PB, BZ	LENS: FROSTED TRIM/RING FINISH: WH, BK, SN, CP, CH, PB, BZ		TRIM/RING FINISH: WH, BK, SN, CP, CH, PB, BZ	TRIM/RING FINISH: WH, BK, SN, CP, CH, PB, BZ
B615WH DESIGNER PINHOLE	B633WH R/PAR30 SPLAY TRIM		B634WH R40/PAR38 SPLAY TRIM	B649RG-WH PAR20 REFLECTOR
TRIM/RING FINISH: WH, BK	TRIM/RING FINISH: WH, BK		TRIM/RING FINISH: WH, BK	REFLECTOR FINISH: CL, RG, W, MB, CP, SN TRIM/RING FINISH: WH, BK
AF633CH R/PAR30 OPEN TRIM	B225WH OPEN TRIM STEPPED BAFFLE		B653W-WH BAFFLE WITH BAFFLE	B651P-WH PAR20 STEPPED BAFFLE
TRIM/RING FINISH: WH, BK, SN, CP, CH, PB, BZ	BAFFLE FINISH: W, P TRIM/RING FINISH: WH 8*		BAFFLE FINISH: W, P TRIM/RING FINISH: WH, BK, SN, CP, CH, PB	BAFFLE FINISH: W, P, SN, CP, BZ TRIM/RING FINISH: WH, BK
elite LIGH	TING		ı form is available @ www.iuseelite.c 23-888-1973 ● Fax: 323-888-1977	OM Specifications and Dimensions subject to change without notice. REV:_MAXILUME-SPEC-05-26-2011

6" Shallow Incandescent Tr

B611W-WH

PAR30 BAFFLE WALL WASH

(LAMP WATTAGE: (1) MAX. 150W R40/PAR38, 120W

Catalog	talog Number:					
Trims Project	Name:	Туре:				
8, 120W BR40, 85W BR30, 150W A21)						
B647P-WH Designer Baffle Wall Wash Par20	B644RG-WH DESIGNER REFLECTOR WALL WASH PAR20	B650WH Designer Wall Wash				
BAFFLE FINISH: W, P, SN, CP, BZ TRIM/RING FINISH: WH	REFLECTOR FINISH: CL, RG, W, MB, CP, SN TRIM/RING FINISH: WH 8"	TRIM/RING FINISH:				
B623MB-WH R40/PAR38 WALL WASH REFLECTOR	B681CP-WH Square Baffle Trim	B687CP-WH Square Reflector Trim				
REFLECTOR FINISH: CL, RG, W, MB, CP, SN, SHZ COVER FINISH: WH TRIM/RING FINISH: WH, BK, SN, CP, CH, PB, BZ	BAFFLE FINISH: W, P, SN, CP, BZ TRIM/RING FINISH: WH, BK, SN, CP	REFLECTOR FINISH: CL, RG, W, MB, SN, CP TRIM/RING FINISH: WH, BK, SN, CP 7-1/2"				
B693WH Square Par30 gimbal trim	B694WH Square Par38 gimbal trim	B688WH SQUARE ALBALITE SHOWER TRIM				
		FOR				
TRIM/RING FINISH: WH 7-1/2"	TRIM/RING FINISH: WH 7-1/2"	LENS: WHITE TRIM/RING FINISH: WH 7-1/2"				
B696WH Square drop oipal shower trim	B689WH Square designer cone shower lens	B680WH Square Designer Point Lens				

AVAILABLE COLOR COMBINATIONS: W-WH, P-WH, SN-SN, CP-CP, BZ-BZ COVER FINISH: WH, BK	BAFFLE FINISH: W, P, SN, CP, BZ TRIM/RING FINISH: WH	REFLECTOR FINISH: CL, RG, W, MB, CP, SN TRIM/RING FINISH: WH	TRIM/RING FINISH: WH
B622RG-WH R/PAR30 WALL WASH REFLECTOR	B623MB-WH R40/PAR38 WALL WASH REFLECTOR	B681CP-WH Square Baffle Trim	B687CP-WH Square Reflector Trim
REFLECTOR FINISH: CL, RG, W, MB, CP, SN, SHZ COVER FINISH: WH TRIM/RING FINISH: WH, BK, SN, CP, CH, PB, BZ	REFLECTOR FINISH: CL, RG, W, MB, CP, SN, SHZ COVER FINISH: WH TRIM/RING FINISH: WH, BK, SN, CP, CH, PB, BZ	BAFFLE FINISH: W, P, SN, CP, BZ TRIM/RING FINISH: WH, BK, SN, CP 7-1/2"	REFLECTOR FINISH: CL, RG, W, MB, SN, CP TRIM/RING FINISH: WH, BK, SN, CP 7-1/2"
B682WH SQUARE EYEBALL TRIM	B693WH SQUARE PAR30 GIMBAL TRIM	B694WH SQUARE PAR38 GIMBAL TRIM	B688WH SQUARE ALBALITE SHOWER TRIM
TRIM/RING FINISH: WH	TRIM/RING FINISH: WH	TRIM/RING FINISH: WH	LENS: WHITE TRIM/RING FINISH: WH
B685WH Square Fresnel Shower Trim	B696WH Square drop oipal shower trim	B689WH Square Designer Cone Shower Lens	B680WH SQUARE DESIGNER POINT LENS
CONTRACT OF THE CONTRACT.			
LENS: CLEAR TRIM/RING FINISH: WH 7-1/2"	LENS: WHITE TRIM/RING FINISH: WH 7-1/2"	LENS: FROSTED TRIM/RING FINISH: WH 7-1/2"	LENS: FROSTED/CLEAR TRIM/RING FINISH: WH 7-1/2"
Submittal form is available @ www.iuseelite.com Specifications and Dimensions Tel: 323-888-1973 • Fax: 323-888-1977 REV: MAXILUME-SPEC-05-26-2011			