

# C4INC

## 4" Architectural Incandescent Downlight

Architectural

Catalog Number:



Project Name:

Type:

Note:

**MAXILUME**  
ARCHITECTURAL LIGHTING

**NEW**



### DESCRIPTION

**1. SOCKET CUP** - Die-cast aluminum with medium base pulse rated porcelain socket with nickel-plated screw shell, effectively provides heat dissipation and ventilation. Unitized optics guarantees proper trim to housing installation. Tool-less installation and adjustability from either outside the housing or inside the housing allows the fixture to accommodate three different lamp sizes.

**2. MOUNTING BRACKET** - Constructed from 16-gauge steel. Butterfly style mounting brackets accommodated. Constructed from 16-gauge steel. Can be installed with 3/4" or 1-1/2" lathing channel, 1/2" EMT, or with optional C-channel mounting bars (Part# BP31) ordered separately. Housing can be adjusted from the inside of the ceiling.

**3. RETAINING SPRINGS** - Precision tooled springs secure trim to mounting frame, for effortless and tool-less installation.

**4. JUNCTION BOX** - Is UL listed for through-branch circuit wiring and has four 1/2" KO's, one 3/4" KO and four Romex knockouts with pry-out slots and strain clamps. Junction Box are accessible from below, no tools required.

**5. THERMAL PROTECTOR** - Meets UL requirements. Standard thermal protection device guards against improper installation, over lamping and misuse of insulation material.

**6. MOUNTING FRAME** - Die-formed construction for maximum heat dissipation and rust protection.

### OPTICS

**7. REFLECTOR** - Self-flanged .050" aluminum reflector with low iridescent finish. Reflector provides 45-degree lamp-to-reflector image cutoff.

**8. GROOVE BAFFLE** - Self-flanged one-piece aluminum with concentric rings.

**9. LENS** - Choice of either tempered clear, tempered prismatic or tempered frosted lens fastened with two torsion springs for easy re-lamping. UL listed for wet or damp location.

**A. Min. Height** = 7-1/4"

**Max. Height** = 8-1/2"

**B. Trim Aperture** = 4-1/8"

**C. Cut-out** = 4-1/2"

**D. Trim Outside Diameter** = 5-1/2"

**E. Width** = 10-1/8"

**F. Length** = 18-1/8"



**ITEM SELECTOR:** (Please check the boxes below for the option desired)

TYPE	VOLTAGE	TRIM TYPE & DESCRIPTION		REFLECTOR	BAFFLE	GLASS
C4INC	<input type="checkbox"/> 120	<input type="checkbox"/> 4101 Reflector	<input type="checkbox"/> 4109 Deco Glass Ring	<input type="checkbox"/> CL	<input type="checkbox"/> WH	<input type="checkbox"/> Blue
	<input type="checkbox"/> 277	<input type="checkbox"/> 4102 Baffle with Reflector	<input type="checkbox"/> 4110 Double Ring Glass	<input type="checkbox"/> SCH **	<input type="checkbox"/> P	<input type="checkbox"/> Green
		<input type="checkbox"/> 4103 Reflector with Fresnel Glass Lens	<input type="checkbox"/> 4111 Triple Ring Glass	<input type="checkbox"/> SHZ *		<input type="checkbox"/> Red
		<input type="checkbox"/> 4104 Reflector with Prismatic Glass Lens	<input type="checkbox"/> 4121 Stardust Deco Ring Glass	<input type="checkbox"/> WT		<input type="checkbox"/> Frost
		<input type="checkbox"/> 4105 Baffle with Fresnel Glass Lens	<input type="checkbox"/> 4122 Euro Deco Ring Glass	<input type="checkbox"/> W		
		<input type="checkbox"/> 4106 Baffle with Prismatic Glass Lens	<input type="checkbox"/> 4123 Prism Deco Ring Glass	<input type="checkbox"/> MB		
		<input type="checkbox"/> 4107 Wall Wash	<input type="checkbox"/> 4124 Geo Deco Ring Glass			
		<input type="checkbox"/> 4108 Crossblade	<input type="checkbox"/> 4125 Central Etched Float Glass			
		<input type="checkbox"/> 4112 Baffle with Frosted Glass Lens	<input type="checkbox"/> 4126 Diffusing Screen Wall Wash			
		<input type="checkbox"/> 4113 Baffle with Tempered Clear Glass	<input type="checkbox"/> 4127 Geo Deco Ring Glass			
		<input type="checkbox"/> 4114 Reflector with Frosted Glass Lens				
		<input type="checkbox"/> 4115 Reflector with Tempered Clear Glass				
		<b>OTHER OPTION</b>				
		<input type="checkbox"/> BP31 (24" C-Channel Bar Hangers)				

### Specifications:

C4INC	-	-	-	-	-	-	-
	VOLTAGE	OPTION	TRIM TYPE	REFLECTOR	BAFFLE	RING	GLASS

Sample of Catalog Number: C4INC-120-4101-CL-WH

REFLECTOR	BAFFLE	RING
CL Clear	WH White	WH Self-Flange White
SHZ Satin Haze (Low Iridescent)	P Black	Standard on all trims
WT Wheat		SCH** Self-Flange Chrome
MB Black		** Only available on XX01 CL
W White		SHZ* Satin Haze
		* Provided w/ satin haze ring only

\*For custom baffle, reflector, trim ring, glass color and lens options, please consult factory.

**MAXILUME**  
ARCHITECTURAL LIGHTING

A division of  
**Elite Lighting**

Submittal form is available @ [www.maxilume.com](http://www.maxilume.com)  
Tel: 323-888-1973 • Fax: 323-888-1977

Specifications and Dimensions  
subject to change without notice.

# 4" Incandescent Optics

Catalog Number:

Project Name:

Type:

Note:

**MAXILUME**  
ARCHITECTURAL LIGHTING

<b>4101-CL</b> Reflector	<b>4102-WH-CL</b> Baffle with Reflector	<b>4107-SHZ</b> Wall Wash Reflector	<b>4108-CL</b> Crossblade Reflector
 <p><b>REFLECTOR FINISH:</b> CL, WT, MB, SHZ, W</p> <p><b>RING FINISH:</b> WH, SCH, SHZ</p>  <p>A= 6-1/2" • B= 5-1/2"</p>	 <p><b>BAFFLE FINISH:</b> WH, P</p> <p><b>REFLECTOR FINISH:</b> CL</p>  <p>A= 6-1/2" • B= 5-1/2" • C= 1"</p>	 <p><b>REFLECTOR FINISH:</b> CL, WT, MB, SHZ, W</p> <p><b>RING FINISH:</b> WH, SCH, SHZ</p>  <p>A= 6-1/2" • B= 5-1/2"</p>	 <p><b>REFLECTOR FINISH:</b> CL, WT, MB, SHZ</p> <p><b>RING FINISH:</b> WH</p>  <p>A= 6-7/8" • B= 5-1/2"</p>
<b>4103-CL</b> Reflector with Fresnel Glass Lens	<b>4104-CL</b> Reflector with Prismatic Glass Lens	<b>4105-P</b> Baffle with Fresnel Glass Lens	<b>4106-WH</b> Baffle with Prismatic Glass Lens
 <p><b>FOR WET LOCATION</b></p> <p><b>REFLECTOR FINISH:</b> CL, WT, MB, SHZ, W</p> <p><b>RING FINISH:</b> WH</p>  <p>A= 6-7/8" • B= 5-1/2" • C= 1"</p>	 <p><b>FOR WET LOCATION</b></p> <p><b>REFLECTOR FINISH:</b> CL, WT, MB, SHZ, W</p> <p><b>RING FINISH:</b> WH</p>  <p>A= 6-7/8" • B= 5-1/2" • C= 1"</p>	 <p><b>FOR WET LOCATION</b></p> <p><b>BAFFLE FINISH:</b> WH, P</p> <p><b>RING FINISH:</b> WH</p>  <p>A= 6-7/8" • B= 5-1/2" • C= 1"</p>	 <p><b>FOR WET LOCATION</b></p> <p><b>BAFFLE FINISH:</b> WH, P</p> <p><b>RING FINISH:</b> WH</p>  <p>A= 6-7/8" • B= 5-1/2" • C= 1"</p>
<b>4114-CL</b> Reflector with Frosted Glass Lens	<b>4115-WT</b> Reflector with Tempered Clear Glass	<b>4112-WH</b> Baffle with Frosted Glass Lens	<b>4113-WH</b> Baffle with Tempered Clear Glass
 <p><b>FOR WET LOCATION</b></p> <p><b>REFLECTOR FINISH:</b> CL, WT, MB, SHZ, W</p> <p><b>RING FINISH:</b> WH, SCH, SHZ</p>  <p>A= 6-7/8" • B= 5-1/2" • C= 1"</p>	 <p><b>FOR WET LOCATION</b></p> <p><b>REFLECTOR FINISH:</b> CL, WT, MB, SHZ, W</p> <p><b>RING FINISH:</b> WH, SCH, SHZ</p>  <p>A= 6-7/8" • B= 5-1/2" • C= 1"</p>	 <p><b>FOR WET LOCATION</b></p> <p><b>BAFFLE FINISH:</b> WH, P</p> <p><b>RING FINISH:</b> WH</p>  <p>A= 6-7/8" • B= 5-1/2" • C= 1"</p>	 <p><b>FOR WET LOCATION</b></p> <p><b>BAFFLE FINISH:</b> WH, P</p> <p><b>RING FINISH:</b> WH</p>  <p>A= 6-7/8" • B= 5-1/2" • C= 1"</p>
<b>4109-CL</b> Deco Glass Reflector	<b>4110-CL</b> Double Ring Glass	<b>4111-CL</b> Triple Ring Glass	<b>4121-CL</b> Stardust Deco Ring Glass
 <p><b>REFLECTOR FINISH:</b> CL, WT, MB, SHZ, W</p> <p><b>RING FINISH:</b> WH, SCH, SHZ</p> <p><b>GLASS FINISH:</b> BLUE, GREEN, RED, FROST</p>  <p>A= 6-1/2" • B= 5-1/2" • C= 1-1/4"</p>	 <p><b>REFLECTOR FINISH:</b> CL, WT, MB, SHZ, W</p> <p><b>RING FINISH:</b> WH, SCH, SHZ</p> <p><b>GLASS FINISH:</b> BLUE, GREEN, RED, FROST</p>  <p>A= 6-1/2" • B= 5-1/2" • C= 1-1/2"</p>	 <p><b>REFLECTOR FINISH:</b> CL, WT, MB, SHZ, W</p> <p><b>RING FINISH:</b> WH, SCH, SHZ</p> <p><b>GLASS FINISH:</b> BLUE, GREEN, RED, FROST</p>  <p>A= 6-1/2" • B= 5-1/2" • C= 2-1/4"</p>	 <p><b>REFLECTOR FINISH:</b> CL, WT, MB, SHZ, W</p> <p><b>RING FINISH:</b> WH, SCH, SHZ</p>  <p>A= 6-1/2" • B= 5-1/2" • C= 1-1/4"</p>

**MAXILUME**  
ARCHITECTURAL LIGHTING

A division of  
**Elite Lighting**

Submittal form is available @ [www.maxilume.com](http://www.maxilume.com)  
Tel: 323-888-1973 • Fax: 323-888-1977

Specifications and Dimensions  
subject to change without notice.

REV: MAXILUME-SPEC-03-23-2011

# 4" Incandescent Optics

Catalog Number:

Project Name:

Type:

Note:

**MAXILUME**  
ARCHITECTURAL LIGHTING

## 4122-CL Euro Deco Ring Glass




### REFLECTOR FINISH:

CL, WT, MB, SHZ, W


### RING FINISH:

WH, SCH, SHZ



A= 6-1/2" • B= 5-1/2" • C= 1-1/4"

## 4123-CL Prism Deco Ring Glass




### REFLECTOR FINISH:

CL, WT, MB, SHZ, W

### RING FINISH:

WH, SCH, SHZ



A= 6-1/2" • B= 5-1/2" • C= 1-1/4"

## 4124-CL Geo Deco Ring Glass




### REFLECTOR FINISH:

CL, WT, MB, SHZ, W

### RING FINISH:

WH, SCH, SHZ



A= 6-1/2" • B= 5-1/2" • C= 1-1/4"

## 4125-CL Central Etched Float Glass




### REFLECTOR FINISH:

CL, WT, MB, SHZ, W

### RING FINISH:

WH, SCH, SHZ



A= 6-1/2" • B= 5-1/2" • C= 1-1/4"

## 4126-CL Diffusing Screen Wall Wash




### REFLECTOR FINISH:

CL, WT, MB, SHZ, W


### RING FINISH:

WH, SCH, SHZ



A= 6-1/2" • B= 5-1/2" • C= 1-1/4"

## 4127-CL Geo Deco Ring Glass




### REFLECTOR FINISH:

CL, WT, MB, SHZ, W

### RING FINISH:

WH, SCH, SHZ



A= 6-1/2" • B= 5-1/2" • C= 1-1/4"

REFLECTOR	BAFFLE	RING
CL Clear	WH White	WH Self-Flange White
SHZ Satin Haze (Low Iridescent)	P Black	Standard on all trims
WT Wheat	GLASS	SCH** Self-Flange Chrome
MB Black	Only available on XX09, XX10 and XX11 series.	** Only available on XX01 CL
W White		SHZ* Satin Haze
		* Provided w/ satin haze ring only

\*For custom baffle, reflector, trim ring, glass color and lens options, please consult factory.