




LP-LGC-CM-2

Lumi-PRO/Extrusion SURFACE



Lumi-PRO Extrusion SURFACE

Lumi-Pro Extrusion Surface LED profiles are widely embraced in interior design applications, offering a practical and visually appealing lighting solution. Perfect for creating a seamless and **sophisticated lighting effect within walls, ceilings, or furniture**, these extrusions bring a touch of elegance to any space.

The installation of **Lumi-Pro Surface LED Extrusions** is a straightforward process that demands minimal effort. Easily integrated into the desired area using **screws or clips**, these extrusions **eliminate the need for complex installation procedures**.

Designed specifically for use with our **LB series LED Light Strips**, these extrusions provide a versatile and customizable lighting solution for distinct spaces within **residential**, **commercial**, or **hospitality** settings.

Example: LP-LGC-CM-2-8-SI-FTD




 MOQ (minimum order quantity)required for these options, please consult factory.



LB Series 24V LED Strip Light

COMPATIBLE STRIP LIGHT

LD1000 MN	
LB1000-MN	Power 2.9W/ft - Voltage 24V - CRI 90+ - LED Qty 37/ft - Lumens 280lm/ft
LB1000-LR	Power 3.1W/ft - Voltage 24V - CRI 90+ - LED Qty 37/ft - Lumens 295lm/ft
LB1000-ST	Power 11W/ft - Voltage 24V - CRI 95+ - LED Qty 72/ft - Lumens 1400lm/ft
LB1000-WL-ST	Power 4.6W/ft - Voltage 24V - CRI95+ - LED Qty 72/ft - Lumens 565lm/ft
LB1000-WDM	ces out, suit our sufficient our suit out our sufficient our s
	Power 4.4W/ft - Voltage 24V -CRI 90+ - LED Qty 51/ft - Lumens 515lm/ft
LB1004-ST	








LP-LGC-CM-2 Lumi-PRO/Extrusion SURFACE

DIMENSIONS



MOUNTING



Mounting the profile directly using screws without the need for clips

OPTICAL LENSES



FTD - Flat Diffuser



FTB - Flat Black

END CAPS/INCLUDED









WH/With Hole

WTH/Without Hole

It Can be ordered in 3 different ways.

1. Everything will be shipped separately

• Channel, cover, accessories and tape light will be cut and shipped to your desired length.





Accessories if ordered.



2. Pre-assembled and shipped separately as two units

- Channel, cover, accessories and tape light will be cut and shipped to your desired length.
- Cover, end caps and clips will be assembled to the channel.
- Wiring accessories will be attached to the tape light.





Wiring accessories attached to the tape light.

3. Fully assembled and shipped as a single unit

- Channel, cover, accessories and tape light will be cut and shipped to your desired length.
- Wiring accessories will be attached to the tape light.
- Tape light will be installed into the channel and ready to use.









COMPATIBLE STRIP LIGHT Ordering Guide

									LB4000-						
	LB1000- MN	LB1000- LR	LB1000- ST	LB1000- WL-ST	LB1000- WDM	LB1004- ST	LB1003- ST	LB3000- ST	LB3000- TWH	LB3000- RGBW	RGBTW H	LB4000- RGBW	LB4000- RGB	LB9000- RGBW	
	MINI LED Static White	Static White	Static White	Outdoor Static White	Warm Dim LED	Mini Neon	High efficiency	COB White	COVE Linear Tunable White	COB Linear RGBW	RGB Tunable White	RGB White	RGB	RGB- DMX	
CCT	2.7K	3K	27K	3K	18/3K	22K	27K	27K	2.7/6.5K	3K	27/65	3K	RGB	RGBW	
	3k	4K	3K	4K	2.7/6.5K	27K	3K	3K						3K	
	35K	5K	3.5K	5K		3K	35K	35K							
	4K		4K			4K	4K	4K							
	5K		5K			5K	5K	5K							
			6.5K			6K	6.5k	6K							
W/I F	2.9	3.1	1.9	1.9	4 4	5.9	2.9	3	6.1	6.1	3.7	5.9	6.1	6	

Power feed, jumpers and tape connectors compatible with this channel

4.6

4.6

7.2 9

11

Specify (1) Option for each end of LED Strip														
Soldered Lead	SL-2	SL-2	SL-2	×	SL-2	SL-2	SL-2	SL-2	SL-3	SL-5	SL-6	SL-5	SL-4	SL-5D
Soldered Jumper	JPSL-2	JPSL-2	JPSL-2	X	JPSL-2	JPSL-2	JPSL-2	JPSL-2	JPSL-3	JPSL-5	JPSL-6	JPSL-5	JPSL-4	JPSL- 5D
Power Connector	X	TW10-2	TW10- 2T	TW12- 2WL	TW12-2	TW10- MN	TW8-2	TW8-2C	TW10- 3C	TW12- 5C	TW12-6	TW14-5	TW10-4	TW12- 5D
Tape Connector	X	TT10-2	TT10-2T	TT12- 2WL	TT12-2	TT10- MN	TT8-2	TT8-2C	TT10-3C	TT12-5C	TT12-6	TT14-5	TT10-4	TT12-5D
Tape Jumper	X	JP10-2	JP10-2T	JP12- 2WL	JP12-2	JP10- 2MN	JP8-2	JP8-2C	JP10-3C	JP12-5C	JP12-6	JP14-5	JP10-4	JP12-5D
Closed End	CE	CE	CE	CE	CE	CE	CE	CE	CE	CE	CE	CE	CE	CE
DC Connector Male- soldered	DCM	DCM	DCM	X	DCM	DCM	DCM	DCM	Х	X	X	X	X	Х
DC Connector Female-soldered	DCF	DCF	DCF	X	DCF	DCF	DCF	DCF	Х	Х	Х	X	Х	Х

ST-1000 7.2, 9.0 and 11 W/LF for use with connector compatible channel only.

SL= Soldered Lead JPSL= Soldered Jumper DCM=DC Connector Male soldered DCF=DC Connector Female soldered

TW=Tape to Wire Power Feed TT=Tape to Tape Connector JP=Jumper Wire for Connectors CE=Closed end no connector

Not avaiable with








LP-LGC-CM-2

Lumi-PRO/Extrusion SURFACE



Series-LB1000-MN | 280lm/ft - 2.9W/ft Indoor Strip Light Width / 0.16"/4mm




50K - 5000K

CHANNEL STRIP LIGHT WIRING ACCESSORIES ASB - Assembled INS - Installed INS - Installed SEP - Separated SEP - Separated SEP - Separated




Series-LB1000-LR 295lm/ft - 3.1W/ft Indoor Strip Light Width / 0.39" /10mm 37 LEDs/FT



40K - 4000K TT10-2 - Tape to Tape Connector **50K** - 5000K JP10-2 - Tape to Tape Jumper Wire to Wire Male Connector DCM -

DCF - Wire to Wire Female Connector SL-2 - Soldered Lead

JPSL-2 - Soldered Jumper





Series-LB1000-ST Indoor Strip Light Width / 0.39"/10mm 875lm/ft - 7.2W/ft 72 LEDs/FT 1400lm/ft - 11.W/ft


235lm/ft - 1.9W/ft 565lm/ft - 4.6W/ft 1120lm/ft - 9.0W/ft LB1000-ST SERIES WATTAGE LENGTH **VOLTAGE** WIRING ACCESSORIES CCT LB1000-ST 1.9W - 1.9W/ft 16F - 16ft Roll 27K - 2700K 24V - 24V TW10-2T - Power Connector 30K - 3000K 4.6W - 4.6W/ft TT10-2T - Tape to Tape Connector 7.2W - 7.2W/ft 35K-3500K JP10-2T - Tape to Tape Jumper 9.0W - 9.0W/ft 40K - 4000K DCM - Wire to Wire Male Connector 11W - 11W/ft **50K** - 5000K DCF - Wire to Wire Female Connector 65K-6500K SL-2 - Soldered Lead JPSL-2 - Soldered Jumper





Outdoor Strip Light Width / 0.53" / 13mm 72 LEDs/FT

Series-LB1000-WL-ST 215lm/ft - 1.9W/ft 565lm/ft - 4.6W/ft



4.6W - 4.6W/ft

30K - 3000K **24V** - 24V TW12-2WL - Power Connector TT12-2WL - Tape to Tape Connector 40K - 4000K 50K - 5000K JP12-2WL - Tape to Tape Jumper DCM - Wire to Wire Male Connector DCF - Wire to Wire Female Connector

> CHANNEL **TAPE LIGHT** WIRING ACCESSORIES

ASB - Assembled INS - Installed SEP - Separated SEP - Separated

INS - Installed SEP - Separated




LB1000-WL-ST





LP-LGC-CM-2





146 LEDs/FT

Width / 0.3"/8mm

INS - Installed

SEP - Separated


ASB - Assembled INS - Installed

SEP - Separated SEP - Separated



LP-LGC-CM-2

Lumi-PRO/Extrusion SURFACE





Indoor Strip Light

Width /0.55"/14mm 18 LEDs/FT

Series-LB4000-RGBW | 250lm/ft - 5.9W/ft

WIRING ACCESSORIES

INS - Installed

SEP - Separated

TAPE LIGHT

CHANNEL

ASB - Assembled INS - Installed

SEP - Separated SEP - Separated






LP-LGC-CM-2

Lumi-PRO/Extrusion SURFACE



Series-LB4000-RGB 250lm/ft - 6.1W/ft Indoor Strip Light Width / 0.39" / 10mm 51 LEDs/FT



CHANNEL	STRIP LIGHT	WIRING A	CCESSORIES
ASB - Assembled SEP - Separated			Installed Separated



Series-LB9000-RGBW 270lm/ft - 6W/ft Indoor Strip Light Width / 0.47" / 12mm 18 LEDs/FT

