




LP-MDC-SPD2-1

Lumi-PRO Extrusion/SUSPENDED



Lumi-PRO Extrusion SPECIALTY/SUSPENDED

Lumi-PRO Extrusion Suspended LED profiles are widely embraced in interior design applications, offering a practical and visually appealing lighting solution. Perfect for creating a seamless and sophisticated lighting effect within ceilings, these extrusions bring a touch of elegance to any space.


The installation of Lumi-Pro Suspended LED Extrusions is a straightforward process that demands minimal effort. Easily integrated into the desired area using adjustable cords, these extrusions eliminate the need for complex installation procedures.

Designed specifically for use with our LB series LED Light Strips, these extrusions provide a versatile and customizable lighting solution for distinct spaces within residential, commercial, or hospitality settings.

Example: LP-MDC-SPD2-1-8-SI-FTD



1.MOQ (minimum order quantity) required for these options, please consult factory.










LP-MDC-SPD2-1

Lumi-PRO Extrusion/SUSPENDED


DIMENSIONS



MOUNTING

2 Suspended Cables INCLUDED 3 ft Length





OPTICAL LENSES









FTD - Flat Diffuser INCLUDED

FTB - Flat Black - OPTIONAL

2 End Caps With Holes INCLUDED

2 End Caps Without Holes INCLUDED

It Can be ordered in 3 different ways.

1. Everything will be shipped separately

RL

* Channel, cover, accessories and tape light will be cut and shipped to your desired length.





Accessories if ordered.



2. Pre-assembled and shipped separately as two units

- Channel, cover, accessories and tape light will be cut and shipped to your desired length.
- · Cover, end caps and clips will be assembled to the channel.
- · Wiring accessories will be attached to the tape light.





Wiring accessories attached to the tape light.

3. Fully assembled and shipped as a single unit

FA

- Channel, cover, accessories and tape light will be cut and shipped to your desired length.
- · Wiring accessories will be attached to the tape light.
- · Tape light will be installed into the channel and ready to use.











LP-MDC-SPD2-1 Lumi-PRO Extrusion/SUSPENDED Refer to the tape light spec sheet for detailed information.

COMPATIBLE TAPE LIGHT Ordering Guide

Power feed, jumpers and connectors compatible with this channel

	LB1000-MN	LB1000-LR	LB1000-ST	LB1000-ST-HO	LB1000V-ST	LB1003-ST	LB1000-ST-SC	LB1004-ST
Soldered Lead (SL)	✓	✓	✓	✓	✓	√	√	√
Soldered Jumper (JPSL)	✓	√	√	√	√	√	√	√
Power Connector (TW)	X	√	√	√	√	√	√	√
Tape Connector (TT)	Х	√	√	✓	√	√	√	√
Tape Jumper (JP)	Х	√	√	✓	√	√	√	√
Closed End (CE)	✓	√	✓	✓	✓	✓	✓	✓
DC Connector Male- (DCM)	✓	√	✓	√	✓	√	✓	√
DC Connector Female-(DCF)	√	√	√	√	√	√	√	√

Power feed, jumpers and connectors compatible with this channel

							· · · · · · · · · · · · · · · · · · ·	
	LB3000-ST	LB3000-ST-HE	LB3000-FC-ST	LB3000-TWH	LB4000-RGB	LB3000-RGBW	LB4000-RGBTWH	LB4000-RGBW
Soldered Lead (SL)	✓	✓	✓	✓	√	✓	√	✓
Soldered Jumper (JPSL)	√	✓	✓	√	√	✓	√	√
Power Connector (TW)	✓	√	√	√	√	√	X	X
Tape Connector (TT)	✓	√	√	✓	√	√	X	X
Tape Jumper (JP)	✓	√	√	√	√	√	X	X
Closed End (CE)	✓	√	√	√	√	√	✓	√
DC Connector Male- (DCM)	✓	✓	✓	√	√	✓	√	√
DC Connector Female-(DCF)	✓	√	√	√	√	√	✓	√

SL= Soldered Lead JPSL= Soldered Jumper DCM=DC Connector Male soldered DCF=DC Connector Female soldered TW=Tape to Wire Power Feed TT=Tape to Tape Connector JP=Jumper Wire for Connectors CE=Closed end no connector



Not compatible with this channel.

NOTE: The endcap hole should be enlarged to allow wiring to pass through, or the channel may be used without endcaps.









LP-MDC-SPD2-1 Lumi-PRO Extrusion/SUSPENDED Refer to the tape light spec sheet for detailed information.

COMPATIBLE TAPE LIGHTOrdering Guide

Power feed, jumpers and connectors compatible with this channel

	LB1000-WL-ST	LB3000-RGBW Wet-Location	LB1000-WDM			
Soldered Lead (SL)	✓	✓	✓			
Soldered Jumper (JPSL)	✓	√	√			
Power Connector (TW)	X	X	Х			
Tape Connector (TT)	X	X	X			
Tape Jumper (JP)	X	X	Х			
Closed End (CE)	✓	✓	✓			
DC Connector Male- (DCM)	✓	√	✓			
DC Connector Female-(DCF)	✓	✓	√			

SL= Soldered Lead JPSL= Soldered Jumper DCM=DC Connector Male soldered DCF=DC Connector Female soldered
TW=Tape to Wire Power Feed TT=Tape to Tape Connector JP=Jumper Wire for Connectors CE=Closed end no connector



Not compatible with this channel.

NOTE: The endcap hole should be enlarged to allow wiring to pass through, or the channel may be used without endcaps.










LP-MDC-SPD2-1 Lumi-PRO Extrusion/SUSPENDED


Refer to the tape light spec sheet for detailed information.









Series-LB1000-LR | 295lm/ft - 3.1W/ft | Indoor Strip Light | Width / 0.39" /10mm | 37 LEDs/FT






| Series-LB1000-ST | 1.9W/ft | 1.9W/









72 LEDs/FT

Width / 0.39"/10mm

FA - Fully Assembled








LP-MDC-SPD2-1 Lumi-PRO Extrusion/SUSPENDED

Refer to the tape light spec sheet for detailed information.




Series-LB1000V-ST Indoor Strip Light Width / 0.39" / 10mm 73 LEDs/FT







Series-LB1003-ST Indoor Strip Light Width / 0.3"/ 8mm 55 LEDs/FT


500lm/ft - 3W/ft





Series-LB1000-ST-SC 1082lm/ft-7W/ft Indoor Strip Light Width / 0.3" / 8mm 61 LEDs/FT











128 LEDs/FT

Indoor Strip Light

Width / 0.39"/ 10mm








LP-MDC-SPD2-1 **Lumi-PRO** Extrusion/SUSPENDED

Refer to the tape light spec sheet for detailed information.




Series-LB3000-ST Indoor Strip Light Width / 0.3"/8mm 146 LEDs/FT

325lm/ft - 3W/ft






Series-LB3000-ST-HE | 940lm/ft-5.8W/ft Indoor Strip Light Width / 0.39" / 10mm 88 LEDs/FT





Series-LB3000-FC-ST |550lm/ft-4.6W/ft **Indoor Strip Light** Width / 0.39" / 10mm 98 LEDs/FT



TECHNOLOGY



Series-LB3000-TWH \mid 520lm/ft - 6.1W/ft Indoor Strip Light Width / 0.39"/10mm 195 LEDs/FT

LB3000 **SERIES** WATTAGE LENGTH LB3000 6.1W - 6.1W/ft 16F - 16ft Roll TWH-65K-27K - TWH/6500K-2700K 24V - 24V C - Custom **SHIPPING OPTIONS**

FA - Fully Assembled

RL - Rolls 16ft PA - Pre-Assembled FA - Fully Assembled



WIRING ACCESSORIES

TW10-3C - Power Connector

SL-3 - Soldered Lead JPSL-3 - Soldered Jumper

Tape to Tape Jumper

JP10-3C

VOLTAGE








LP-MDC-SPD2-1 Lumi-PRO Extrusion/SUSPENDED

Refer to the tape light spec sheet for detailed information.




Series-LB4000-RGB | 250lm/ft - 6.1W/ft Indoor Strip Light Width / 0.39" / 10mm 51 LEDs/FT





Series-LB3000-RGBW Indoor Strip Light Width / 0.47"/12mm 256 LEDs/FT



RL - Rolls 16ft
PA - Pre-Assembled
FA - Fully Assembled



Series-LB4000-RGBTWH Indoor Strip Light Width / 0.47"/12mm 18 LEDs/FT


SERIES WATTAGE LENGTH COLOR VOLTAGE WIRING ACCESSORIES

LB4000 3.7W - 3.7W/ft 16F - 16ft Roll C - Custom C - Custom C - Custom C - Soldered Lead JPSL-6 - Soldered Jumper SL-6 - Soldered Jumper SHIPPING OPTIONS





Series-LB4000-RGBW 250lm/ft - 5.9W/ft Indoor Strip Light Width /0.47"/12mm 18 LEDs/FT










LP-MDC-SPD2-1 **Lumi-PRO** Extrusion/SUSPENDED

Refer to the tape light spec sheet for detailed information.




Series-LB1000-WL-ST |215lm/ft - 1.9W/ft Outdoor Strip Light Width / 0.53" / 13mm 72 LEDs/FT

565lm/ft - 4.6W/ft






Series-LB3000-RGBW 218lm/ft - 6.1W/ft Outdoor Tape Light Width / 0.55"/14mm 256 LEDs/FT





Series-LB1000-WDM 515lm/ft - 4.4W/ft Indoor Tape Light Width / 0.47"/12mm 51 LEDs/FT



PA - Pre-Assembled

FA - Fully Assembled