


Lumi-PRO Extrusion RECESSED

Lumi-Pro Extrusion Recessed LED profiles are widely embraced in interior design applications, offering a practical and visually appealing lighting solution specifically designed for recessed installations. Perfect for creating a seamless and sophisticated lighting effect within walls, ceilings, or furniture, these extrusions bring a touch of elegance to any space.

The installation of **Lumi-Pro recessed LED profiles** is a straightforward process that demands minimal effort. Easily integrated into the desired recessed area using **screws or clips**, these extrusions eliminate the need for complex installation procedures.

Tailored specifically for use with our LB series LED Light Strips, these extrusions provide a versatile and customizable lighting solution for distinct recessed spaces within residential, commercial, or hospitality settings.



1.MOQ (minimum order quantity) required for these options, please consult factory.

Series LP-SHC-RFT-025 Tape light width 0.20" recommended. Extrusion Length: 2ft / 4ft / 8ft Finish: Silver, Black, White. End cap options: With hole / Without hole/INCLUDED Application: Architectural, Residential,Commercial.

Experience unrivaled performance with our precision-engineered, high density tape light, designed to meet the demands of even the most challenging applications.

LB Series 24V LED Strip Light

COMPATIBLE STRIP LIGHT











LP-SHC-RFT-025 Lumi-PRO Extrusion/RECESSED








COMPATIBLE TAPE LIGHT





COMPATIBLE STRIP LIGHT



Series-LB1000-MN 280lm/ft - 2.9W/ft Indoor Strip Light Width / 0.16"/4mm 37 LEDs/FT

LB1000-MN							
SERIES	WATTAGE	LENGTH	CCT	VOLTAGE	WI	RING AC	CESSORIES
LB1000-MN	2.9W - 2.9W/ft	2.9W/ft 16F - 16ft Roll 27K - 2700K 24V - 2 30K - 3000K 35K - 3500K 40K - 4000K 50K - 5000K			4V DCM - Wire to Wire Male Connector DCF - Wire to Wire Female Connector SL-2 - Soldered Lead JPSL-2 - Soldered Jumper		
			CHAN	INEL	STRIP LIGHT	WIR	ING ACCESSORIES
					NS - Installed EP - Separated		INS - Installed SEP - Separated







Due to the changes of constant improvement in LED technology, all details are subject to change without notice. Consult factory for up to date information.