


## Lumi-PRO Extrusion TRIMLESS

**Lumi-Pro Extrusion Trimless LED profiles** are widely embraced in interior design applications, offering a practical and visually appealing lighting solution. Perfect for creating a seamless and **sophisticated lighting effect within walls, ceilings, or furniture**, these extrusions bring a touch of elegance to any space.

Designed specifically for use with our LB series LED Light Strips, these extrusions provide a versatile and customizable lighting solution for distinct spaces within residential, commercial, or hospitality settings.

In essence, **Lumi-Pro Extrusions transcend mere illumination**. They embody a fusion of innovation, aesthetics, and practicality, redefining how lighting integrates into **interior spaces**.

### Example: LP-SHC-RTL-2-8-SI-FTD



1.MOQ (minimum order quantity)required for these options, please consult factory.

### LB Series 24V LED Strip Light

#### COMPATIBLE STRIP LIGHT


LB1000-MN	) 🕼 🕒 🖗 💭 📚 🍋 🕼 🍋 🕼 🍋 🕼 🍋 🕼 🍋 🕼 🍋 🌘 🍋 🖗 🍋 🖗 🍋 🖗	LB1003-ST	Power 2.9W/ft - Voltage 24V - CRI90+ - LED Qty 55/ft - Lumens 500lm/ft
LB1000-LR	Image: State of the s	LB3000-ST	2014 - 2014 - 2014 - LED Qty 146/ft - Lumens 325lm/ft
LB1000-ST	Power 11W/ft - Voltage 24V - CRI 95+ - LED Qty 72/ft - Lumens 875lm/ft	LB3000-TWH	Power 6.1W/ft - Voltage 24V - CRI 90+ - LED Qty 195/ft - Lumens 520Im/ft
LB1000-WL-ST	dimental providences and pression of the second	LB3000-RGBW	
	Power 4.6W/ft - Voltage 24V - CRI95+ - LED Qty 72/ft - Lumens 565lm/ft		Power 6.1W/ft - Voltage 24V - LED Qty 256/ft - Lumens 255lm/ft
LB1000-WDM	Power 4.6W/ft - Voltage 24V - CRI95+ - LED Qty /2/ft - Lumens 565Im/ft Power 4.4W/ft - Voltage 24V -CRI 90+ - LED Qty 51/ft - Lumens 515Im/ft	LB4000-RGBTWH	

www.iuseelite.com


Due to the changes of constant improvement in LED technology, all details are subject to change without notice. Consult factory for up to date information. 04/26/24








Due to the changes of constant improvement in LED technology, all details are subject to change without notice. Consult factory for up to date information.



Due to the changes of constant improvement in LED technology, all details are subject to change without notice. Consult factory for up to date information.





Due to the changes of constant improvement in LED technology, all details are subject to change without notice. Consult factory for up to date information.






COMPATIBLE TAPE LIGHT

## LP-SHC-RTL-2

Lumi-PRO Extrusion/TRIMLESS

Refer to the tape light spec sheet for detailed information.









COMPATIBLE TAPE LIGHT

# LP-SHC-RTL-2

Lumi-PRO Extrusion/TRIMLESS

Refer to the tape light spec sheet for detailed information.

