

**FEATURES**

Elite Lighting's **Architectural Pendant Series**, including the OPR line, delivers a refined balance of performance and design. Engineered with highly efficient LEDs and advanced optics, these pendants feature a slim 2-3" extruded aluminum profile with **bold, sculpted forms** that provide glare-controlled, visually comfortable illumination.

Achieving up to 100 lumens per watt while maintaining a low UGR, the series offers exceptional efficiency without sacrificing visual comfort. Customizable profiles and optical distributions allow pendants to be fabricated in a **wide range of geometric shapes**—circle, square, rectangle, triangle, hexagon, and more—empowering limitless architectural expression.

Designed with a human-centric approach, Elite Lighting Architectural Pendants integrate seamlessly into modern spaces, elevating interiors with clean geometry, premium performance, and inspired illumination.

**COLORS**



White



Black



Silver



Gold



Custom RAL


<b>LUMENS</b>	(S) 3500L, 6000L, 6800L (M) 8000L, 12000L, 14000L, 16000L (L) 15000L, 20000L, 25000L, 28600L
<b>CCT</b>	2700K/3000K/3500K/4000K/ 5000K/6000K  Tunable white  RGB/RGBW/RGBWW
<b>CRI</b>	90, 95
<b>POWER</b>	(S) 35W, 60W, 68W (M) 80W, 120W, 140W, 160W (L) 150W, 200W, 250W, 286W
<b>SIZE</b>	(S) 23.6" x 23.6" (M) 35.4" x 35.4" (L) 47.2" x 47.2"
<b>MOUNTING</b>	Suspended, Recessed, Surface Mount
<b>COLOR</b>	White, Black, Silver, Gold, Custom RAL
<b>DIMMING</b>	Non Dali Triac 0-10V Tunable

Example: **OPR-SQ-23IN-3500L-DIM10-MVOLT-40K-90-WH-SM**

SERIES	STYLE	SIZE	DIRECT LUMENS	DIMMING	VOLTAGE	CCT	CRI	EMERGENCY	FINISH	MOUNTING OPTIONS
OPR - OPR	SQ - Square	23IN - 23.6" x 23.6"	3500L - 3500 Lumens 6000L - 6000 Lumens 6800L - 6800 Lumens	DIM10 - 0-10V Dimming (Non Dali Triac 0-10V Tunable)	120 277 MVOLT	27K - 2700K 30K - 3000K 35K - 3500K 40K - 4000K 50K - 5000K 60K - 6000K WH - Tunable white RGB - RGB RGBW - RGBW	90 - 90 95 - 95	0-EMG-LED-10W <sup>1</sup> 0-EMG-LED-25W <sup>1</sup>	WH - Matte White BK - Black SI - Silver GD - Gold RAL <sup>2</sup> - custom color	SM - 10' Suspended Mount (Consult factory for other sizes) RT - Recessed Trimless SR - Surface Mount
		35IN - 35.4" x 35.4"	8000L - 8000 Lumens 12000L - 12000 Lumens 14000L - 14000 Lumens 16000L - 16000 Lumens							
		47IN - 47.2" x 47.2"	15000L - 15000 Lumens 20000L - 20000 Lumens 25000L - 25000 Lumens 28600L - 28600 Lumens							


<sup>1</sup> Remote  
<sup>2</sup> Consult Factory

**DIMENSIONS**




**MOUNTING**

**SIDE CANOPY MOUNTING**



**CENTRAL CANOPY MOUNTING**



**SURFACE MOUNTING**



**RECESSED MOUNTING**

