

FEATURES

Enhance the aesthetic appeal of your **bathroom, dressing room, or bedroom** with the **Smart Mirror Anti-Fog LED Backlit Rounded**. This stylish and sophisticated mirror not only elevates your space but also provides a personalized lighting experience. The integrated smart features allow you to **control and personalize your lighting experience**. The highlight of this mirror is its **adjustable CCT** color functionality. Choose from a range of color temperatures, from warm to cool, to create **the ideal ambiance for any occasion**. Whether placed in a bathroom, spa, or any high-moisture area, the LED mirror with **Technology Anti-Fog** can withstand humid conditions and maintain its fog-free surface, enhancing convenience and usability.

LUMENS	2000L
CCT	3000K/4000K/5000K
CRI	>90
INPUT	120V
POWER	27W
SIZE	36" (Diameter)
MOUNTING	Wall Mount
DIMMING	Dimmable
LIFETIME	L70 at 50,000 Hours
MATERIAL	Glass+Aluminum



Touch Sensor



CCT Selector



Smart
defogger



Issued 02/07/24

MAINTENANCE

Use a soft, lint-free cloth or microfiber cloth to gently wipe the surface of the mirror. If necessary, lightly dampen the cloth with water or a mild glass cleaner specifically designed for mirrors. Never use abrasive materials like rough sponges, scrub brushes, or abrasive powders on the mirror. They can scratch or damage the mirror's surface and coating.

OPTICAL SYSTEM

LED frame design provides exceptional light distribution. Illumination is spread around the surface emitting soft, even light.

CONSTRUCTION

Constructed with eco-friendly glass, this mirror features a thickness of 0.2 inches. The use of environmentally conscious glass ensures a sustainable and responsible choice, while maintaining the desired level of durability and quality. The aluminum frame is meticulously finished to complement the mirror's design, providing a sleek and modern look. It also offers resistance against corrosion and tarnishing, ensuring long-term durability. By combining the superior quality glass, super slim aluminum frame, and innovative anti-fog technology, this LED mirror offers a reliable and visually appealing solution for various applications such as bathrooms, dressing rooms, and spas.

MOUNTING

Easy to install. Equipped with hanging holes making installation a breeze. The hangers ensure secure and hassle-free mounting on your desired room.

Whether it's your bathroom, bedroom, or dressing room, these mirrors offer a modern touch and practicality with their built-in LED lighting. One convenient feature is the presence of hanging holes for installation, making it easier to mount the mirror securely on the wall.

The hanging hole design allows for versatile mounting options, ensuring seamless integration into any space.

DRIVER ELECTRICAL INFORMATION

Powered by high-quality constant-current power LED drivers which are rated for 50 to 60Hz at 100-120V/220-240V.

DIMMING & DRIVER INFORMATION

DIMTR - Triac and electronic low voltage (DIMTR-120), available in 120V.

WARRANTY

Five-year (limited) warranty for parts and components. (Labor not included)

LISTINGS

ETL Listed.

Example: SMR1-LED-BL-RD-36-2000L-120-30K/40K/50K-90-WM

SMR1-LED-BL-RD						
SERIES	LUMINAIRE SIZE	LUMENS	VOLTAGE	CCT	CRI	MOUNTING
SMR1-LED-BL-RD	36 - Ø 36"	2000L- 2000L	120 - 120V	30K/40K/50K - 3000K/4000K/5000K	90 - >90	WM - Wall Mount

SMR1-LED-BL-RD

Smart Mirror Anti-Fog LED Backlit Rounded

GUIDE D'INSTALLATION

INSTALLATION GUIDE





IMPORTANT: READ THIS GUIDE CAREFULLY AND KEEP IT FOR FUTURE REFERENCE.

INSTRUCTIONS AND WARNINGS

- TURNING THE SWITCH OFF TO TURN OFF POWER IS NOT ENOUGH TO AVOID ELECTRIC SHOCKS. MAKE SURE THAT THE POWER IS TURNED OFF AT THE SOURCE (BREAKER) BEFORE PROCEEDING WITH THE INSTALLATION AND CLEANING.
- For indoor use only.
- Keep out of reach of children and animals.
- This product must be installed in accordance with **Local electrical codes and ordinances. All work must be done by a certified electrician.**
- This product must be installed on an electrical outlet box. The box must be directly supported by the building structure.
- Any modification made to this product is strictly prohibited, as it could result in injury, death, property damage, or product failure.
- To avoid product failure and electrical shocks, this product must be connected to an electrical grid and properly grounded.

CLEANING:

FOLLOW THE SAFETY INSTRUCTIONS. CLEAN THE MIRROR WITH A SOFT, DAMP CLOTH.



OPERATION



Press to defog.



Press to turn on, change colour temperature and turn off. Hold to change luminous intensity.

	3 températures de couleur 3 colour temperatures	3000 K - 4000 K - 5000 K
	Voltage	120 V / 60Hz

